



MAJESTY 140












Dining Area Main Lobby Day Head

The newly unveiled Majesty 140 is an elegant 140 foot superyacht that offers unrivaled luxury. Its extensive glass side windows allow plenty of sunlight inside and give the guests stunning panoramic views of the seascape around.









Double Guest Stateroom

Double Guest En Suite



Cigar Lounge

The tri-deck superyacht features a richly finished owner's stateroom offering charming views of the outside through its glass facades and an elegant terrace and comes with an en suite featuring a jacuzzi bathtub.

Wheelhouse








Upper Deck Seating Area



Fly-bridge

Fly-bridge Jaccuzi Bow Seating Area Beach Club





TECHNICAL SPECIFICATIONS

LENGTH OVERALL	141 ft 11 in (43.30 m)
BEAM	26 ft 11 in (8.20 m)
DRAFT	5 ft 11 in (1.80 m)
DISPLACEMENT	225 t approx.
FUEL TANK CAPACITY	11,770 US gal (44,550 l)
FRESH WATER TANK CAPACITY	2,230 US gal (8,440 l)
BLACK TANK CAPACITY	440 US gal (1,665 l)
GREY TANK CAPACITY	440 US gal (1,665 l)
GENERATORS	2 X 100 kW, 50 Hz
ENGINES	2 X 2,600 hp

Please note this is the technical specifications of Maiesty 140. Gulf Craft reserves the right to add, modify or delete specifications and features at an time as part of our continuous product improvement programme.

Owner>s Cabin

Sun Deck

Marine grade stainless steel supports Storage drawers under the bed Jacuzzi in the forward surrounded with Two wall lamps Vanity desk with Bar counter with fridge and ice maker Carpeted floor Bowl washing sink to bar counter Windows with e Upholstered sofa with foldable coffee pleated blinds Upholstered curved L shaped sofa with Sofa with side ta coffee table Storage under all sofas Walk In Closet Wind deflector glass Glass top freezer BBQ grill Storage space Warm white lights Owner's Rath Marble top with Self-draining Vanity mirror and Electric toilet Sanitary access Fore Deck Glass door to she Marine grade stainless steel railings Four polished marine grade stainless steel deck cleats Garbage compartment with water tight hatch cover Flood light on the foremast Owner's Shower Water tight hatch cover for access to Shower seat anchor handling machinery Crane for lifting jet skies with the lifting Head and Hand capacity of 700kg Sanitary access Self-draining Upper Deck Upper Deck Lobi Steps to foredeck Storage room holders and round coffee tables Marble floor Upholstered sofa with teak table Storage under all sofas Wing stations Three windshield wipers with washer Wheel House Pantograph doors to wheel house Sofa with tables Service counter with washing sink. Storage space under the sofa Storage cabinet Electrical bay hot plate Electric/Manual sliding patio door to owner's cabin Wooden floor Upholstered curved sofas with tables Marine grade stainless steel railings Two counters with marine grade stainless Self-draining Captain's Cabin Warm white exterior lights Double Bed with side table and readi Storage and drawers under the bed Main Deck Equipment Carneted floor Electric roman blinds and pleated blin Marine grade stainless steel railings Two polished stainless steel deck cleats Weathertight doors with glass porthole leading to galley passage area on port and main lobby on starboard Bulwark doors at the amidship Captain's Bath Stairways to upper deck Washbasin . Washing sink inside recessed locker Electric toilet Weathertight door to crew lounge Electric/Manual sliding patio door Hand Shower Upholstered sofa with table Complete sanitary accessories Sunbed above beach club Marine grade stainless steel transom Electro-hydraulic beach club door with emergency controls Transformer 6 steps 550 kg lifting capacity Two large sofas with side tables Removable marine grade stainless steel Carpeted floor at the seating space staple rails Rectangular coffee table Two loose chairs Electric roman blinds and pleated blinds Pop-up cleats

n chair
electric roman blinds and
for the patio door ables on port
two washbasins id storage cabinet
ories nower room
held showers ories
ру
m

ny		
ding		
and		
ing		
inds		

Dining Area

lobby on starboard

Main Galley & Passage Area

Wooden floor

Two sinks

Base cabinets

Pleated blinds

Induction Hob

Microwave Oven

Scotsman

Main Lobby

Day head Marble floor

Day Head

Electric toilet

Sanitary accessories Marble floor

Cycling machine

Storage space and open shelves

Door to twin guest and double guest

Double Guest Cabin (Main Deck &

Double Bed with side tables, drawers

Carpeted floor

Lower Deck)

and storage

Two wall lamps

storage cabinets

Carpeted floor

Lower Deck)

Electric toilet

Marble floor

Pleated blinds

Reading lights Two double door wardrobe

Windows with electric roman and

Vanity desk with vanity mirror, stool, and

Double Guest Cabin Bath (Main Deck &

Vanity mirror with storage cabinet

Sanitary accessories Glass door to shower room

Wine Cooler 34 bottles Coffee Maker

Staircase to lower deck

Door to Gymnasium

Vanity mirror with storage cabinet

Stairway to forward crew lounge

Resilient tiles floor

- Fridge - Freezer Combination - Oven - Dishwasher

Dining table with glass top and 10 chairs

Sliding doors to main galley on port and

Forward cutlery storage cabinets
Electric roman blinds with pleated blinds

Marble top low counters with storage

ouble Guest Cabin's Shower	- Washing Machine
	- Tumbler
Head and hand held showers Marble floor	- Dishwasher
Sanitary accessories	
	Crew Cabins (Aft)
win Guest Cabins (Main Deck &	- Two bunk beds with side table
Lower deck)	 Wardrobe Port hole with roman blinds
Two single beds with storage and bed	- Open shelves
side table	- Resilient tiles floor
One pull man bed (Only lower deck) Wardrobe	
Windows with electric roman blinds	
Carpeted floor	Crew Cabin's Bath
	- Corian top with washbasin
	- Vanity mirror
win Guest Bath's (Main deck &	 Electric toilet Hand held showers
Lower deck)	- Teak tray for shower area
	- Corian Floor
Marble top with washbasin Vanity mirror with storage cabinet	
Electric toilet	
Marble floor	
Sanitary accessories	Propulsion System
Glass door to shower room	- Twin MTU 16V 2000 M94, 2600 HP, 1939
	kW, 2450 RPM
win Guest Shower (Main deck &	 Twin gearbox coupled with shafts
Lower deck)	- Twin power take offs (P.T.O) mounted
Head and hand held showers	with gearboxes - Twin AB2 (NiAL Bronze) Cu3 propellers
Shower seat (Lower Deck)	Twin In-line exhaust silencers
Sanitary accessories	
Pleated blinds	
	Stabilization System
uest Lobby	 Digital Fin Stabilizer System TRAC 540 with hydraulic system in the engine
Doors to double and twin guest cabins	room, and control panels at the main
Carpeted floor	helm station
Storage room	
rew Lobby	Exhaust and Ventilation System
•	- Twin 4 kW exhaust and ventilation
Resilient floor Stairway to main galley	reversible fans by C.E.M with variable speed located on the port and starboard
Cold storage room, Freezer room, and dry	speed located on the port and starboard side in the engine room. The control
storage in the forward	panels are located on the main console,
	and remote shut-off/emergency control at
	the aft cockpit - Fire dampers with the exhaust fans are
	Fire dampers with the exhaust rans are installed in the engine room with the
rew Cabins (Port & Starboard)	forced ventilation shut-off/emergency

	Exhaust and Ventilation System
y	
	 Twin 4 kW exhaust and ventilation
floor	reversible fans by C.E.M with variable
to main galley	speed located on the port and starboard
age room, Freezer room, and dry	side in the engine room. The control
the forward	panels are located on the main console,
	and remote shut-off/emergency control a
	the aft cockpit
	 Fire dampers with the exhaust fans are
	installed in the engine room with the
ns (Port & Starboard)	forced ventilation shut-off/emergency
is (i oit & staiboard)	controls at the aft cockpit
	controts at the art cockpit

		CONTROLS AT THE AIT COCKPIT
-	Two bunk beds with side table	 Natural air ventilation in the engine room
-	Storage under the bed	through FRP and marine grade stainless
-	Wardrobe	steel pipes which are fitted with automatic
-	Port hole with roman blinds	fire damper of homologation type
-	Open shelves	 Twin 0.18 kW circulation fans are installed
-	Resilient tiles floor	in the engine room
		 Automatic fire damper of Homologation
		type for galley with emergency controls at
		the main helm station
		 Toilet exhaust blowers are fitted in all
C	rew Cabin's Bath (Port & Starboard)	bathrooms with emergency shut-off
		controls at the main helm station
-	Washbasin	
	Vanity mirror	

Hand held showers	St	eering & Maneuvering
Corian Floor		
	-	Electro-hydraulic servo as

Electric toilet

Crew Lounge (Aft)

Corian counter top

Storage cabinets

Bar with three bar stools

Doors to aft crew cabins

Fridge/Freezer combination Chest Freezer

Burner Induction Hob Microwave Oven

Port holes with pleated blinds Wooden floor

Washbasin sink mixer with swivel spout

Folding door to shower

	system
-	Up to 100 HP Bow thruster with the
	control joysticks on the main helm stat
	wing stations, and docking station
	-

C	Control Stations
-	Main helm
-	Wing stations
-	Emergency steering
-	Docking station at the main deck af

А	nchor Handling & Mooring Equipment
	Twin Maxwell WC8000 hydraulic vertical windlasses with digital chain counters and handheld operating sets Two 167 kg SHHP TW type anchors each with 124 m length and 17.5 mm diameter chain Forward water tight hatch cover for access to anchor handling equipment Sea water pressure washing of chain with outlet in chain hawser pipes Twin Maxwell VC4000 24V DC 2kW capstans are fitted at the aft for mooring
s	ound Signaling System
	Air Horn with 3 trumpets Whistle control integrated with general alarm system
s	earch Light
	Main helm station controlled forward search light
F	uel System
	11,770 US gallons FRP fuel tanks with level monitoring. The tanks are with ventilation pipes and covered with man hole covers Alfa Laval MIB 303 Fuel Purifier is connected to the fuel transfer system to separate the solids from the fuel. The through put capacity of this purifier is 760 liters/hour Fuel deck filters on the main deck port and starboard in recessed box with the vent grills.
L	ube Oil System
	Lube oil system consists of two 42.5 US gallons each FRP tanks with level monitoring. The tanks are with ventilation pipes and covered with man hole covers Lube oil system comprises of marine grade stainless steel manifold, electrically driven transfer pump, and a manual pump.
А	ir conditioning system
	Two air conditioning chiller units are installed in the engine room each with the cooling capacity of 360, 000 BTU/hr. Heavy duty sea water and chilled water circulation pumps are fitted to supply sea water to the chillers, and circulate the chilled water among the air handler units Fresh air circulation system

Ai	r conditioning system
	Two air conditioning chiller units are installed in the engine room each with the cooling capacity of 360, 000 BTUhr. Heavy dufy sea water and chilled water circulation pumps are fitted to supply sea water to the chillers, and circulate the chilled water among the air handler units Fresh air circulation system
Fr	esh Water System
-	1,780 US gallons FRP fresh water tank with level monitoring. The tank is with ventilation pipes and covered with man

Fresh Water System
·
 1,780 US gallons FRP fresh water tank with level monitoring. The tank is with ventilation pipes and covered with man hole covers
 Four 200 liters each water heaters are fitted
 Water maker with production capacity 660 liters/hour
 Dock connection for fresh water supply with pressure regulator

	ventilation pipes and covered with man
	hole covers
-	Four 200 liters each water heaters
	are fitted
-	Water maker with production capacity
	660 liters/hour
-	Dock connection for fresh water supply
	with pressure regulator
-	Transom shower with hot and cold
	water mixer
-	Deck wash connections at swim platfor
	main deck aft, upper deck aft, sun deck
	and anchor handling compartment

following locations: Engine room Main deck gunwale Main deck aft Radar mast
nderwater lights
Twelve white underwater lights with melm station controls
tructural Fire Protection
Structural fire protection in the engine room and main galley
ire Detection and Fire Alarm Syste
FM 200 Fixed fire detection and fire all system is fitted at all enclosed spaces except those containing no fire risk (toilets, bathrooms, etc.) Accommodation and machinery space:
with following fire detectors and alarm Smoke detectors Heat detectors Manual call points
Alarm points Fire alarm bell is fitted in the engine re Fire alarm panel is fitted under the main console
ire Appliances

Audio Video System

mechanism HDMI/USB Hub

Satellite receiver

Two ceiling speakers

Upper deck forward

Upper deck aft

Four ceiling speakers

Two on-wall speakers under sofa

Navigation System

Navigation and radio system by Furuno

Two Ultra High Definition radar scanners

Magnetic Compass on main helm station,

on main console, and emergency steering

Twin wind speed transducers with main

Steering wheel Weatherproof substation with call button

Night vision camera Three 19" Navigational displays

and emergency steering Global positioning system

Automatic Identification System

Digital Fish Finder

Satellite Compass

helm station controls Sneed depth, and temperature through

Emergency Steering

Rudder angle indicator

Docking Station

Engine throttle

Steering joystick

Bow thruster joystick Horn button

Communication System

Thuraya satellite phone

Safety System)

GMDSS (Global Maritime Distress and

Full Sea Area A2 GMDSS system

Alarm Display & Monitoring System

Alarm display and monitoring system

is integrated with the general alarm

navigation lights, black & grey water

pumps, emergency batteries voltage

levels, door & hatches sensors for

monitoring, and bilge monitoring

The display panels are fitted at mair

helm, engine room, and crew lounge

In compliance with COLREG Annex 1.

following navigation lights are provided Forward masthead light

- CCTV camera monitoring system at the

Navigation Lights

Side light (Port)

Side light (Stbd) Stern light

Camera Monitoring System

Anchor light

system, tank sensors for level monitoring

Engines emergency stop pane Rudder angle indicator

Weather Fax

Autopilot

rite alarin panet is itted under the main console	- Samsung / - Satellite re - HDM/USB - Apple TV 4 - Two ceiling
ire Appliances	
FM-200 fixed fire extinguishing system installed with remote release control at the aft cockpit	Double Gues
Electric main fire pump is connected to the fire main line providing supply to all fire hydrants	 Samsung 4 Satellite re Apple TV 4
Emergency diesel self-priming centrifugal pump	- HDMI/USB
Portable fire extinguishers in all accommodation and machinery spaces of following types:	
Dry-powder fire extinguishers Carbon-dioxide fire extinguishers	Twin Guest (
Fire blanket in the galley Fire hydrant supply points International shore connection with isolation valve and fire hydrant	 Samsung 4 Satellite re Apple TV 3 HDMI/USB

-	ain Saloon Samsung 75" UHD TV
-	Satellite receiver HDMI/USB Hub
-	Apple TV 4G 32 GB Two ceiling speakers
	3 1
D	ouble Guest Cabins
-	Samsung 40" LED TV Satellite receiver
-	Apple TV 4G 32 GB HDMI/USB Hub
	UDMINOSE UND
T۱	win Guest Cabins
-	Samsung 40" LED TV Satellite receiver
-	Apple TV 32GB HDMI/USB Hub
Cı	rew lounge
-	Samsung 32" LED TV Satellite receiver
-	HDMI/USB Hub Apple TV 4G 32GB
-	Apple TV 4G 32GB

Owner's Cabin

Wheel House

Captain's Cabin

- Samsung 32" LED TV - Apple TV 4G 32GB

Satellite receiver

HDMI/USB Hub

Four ceiling speakers

Aft Cockpit

Samsung 55"UHD TV

Satellite receiver HDMI/USB Hub

Apple TV 4G 32 GB

Two ceiling speakers

Two ceiling speakers blinds

40" Waterproof TV with Custom TV swivel

125



P.O. Box 666, Sheikh Khalifa Bin Zayed Street, Ajman, United Arab Emirates

T. +971 6 7406060, F. +971 6 7406062, gci@gulfcraftinc.com

www.gulfcraftinc.com

www.majesty-yachts.com

V 02. 2018

Pictures in this catalogue may be taken from different vessels of the same type for example purpose only. Performance estimates are given in good faith, but are in no way guaranteed. Dirt on the hull, damage to the propellers, external water and air temperatures and added weight, fuel and water carried can all adversely affect performance. For these and other reasons we can give no performance guarantees. Data and characteristics are not binding: details, colors, descriptions and illustrations are for information purpose only. The drawings and pictures may include specific equipment or modifications which are not part of the standard specifications of the vessel. Standard specifications may be defined differently in different sales territories. Gulf Craft Inc. reserves the right to make any changes in specifications or equipment without prior notice. In case on any inconsistencies between specification sheet, product catalogue and price list, the price list prevails. Customers are recommended to contact one of our sales representatives to reconfirm standard and optional features on the vessels.

SETTING NEW STANDARDS OF LUXURY

